


AF-HRW

Attorney's Docket: 081468-0307814  
Client Reference: P-1750.000-US



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Re PATENT APPLICATION of:

Confirmation Number: 3196

HEERENS ET AL.

Application No.: 10/762,568

Group Art Unit: 2851

Filed: January 23, 2004

Examiner: H. NGUYEN

For: LITHOGRAPHIC ALIGNMENT SYSTEM

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

AMENDMENT/RESPONSE TRANSMITTAL

Transmitted herewith is an amendment/response for this application.

FEEES


The fee for claims and extension of time (37 C.F.R. 1.16 and 1.17) has been calculated as shown below:

	CLAIMS REMAINING AFTER AMENDMENT	HIGHEST NO. PREVIOUSLY PAID FOR	PRESENT EXTRA	RATE	ADDIT. FEE
TOTAL	21	- 21	= 0	x \$ 50.00	= \$ 0.00
INDEP.	3	- 3	= 0	x \$ 200.00	= \$ 0.00
FIRST PRESENTATION OF MULTIPLE DEP. CLAIM				+ \$ 360.00	= \$ 0.00
TOTAL ADDITIONAL CLAIM FEE					\$ 0.00
GRAND TOTAL					\$ 0.00

FEE PAYMENT

Authorization is hereby made to charge the amount of \$0.00 to Deposit Account No. 033975. Charge any additional fees required by this paper or credit any overpayment in the manner authorized above.

Date: July 5, 2005  
PILLSBURY WINTHROP LLP  
P.O. Box 10500  
McLean, VA 22102  
703.905.2088

  
\_\_\_\_\_  
E. RICO HERNANDEZ  
Reg. No. 47641





Corres. and Mail  
**BOX AF**

REPLY UNDER 37 C.F.R. § 1.116  
EXPEDITED PROCEDURE  
TECHNOLOGY CENTER ART UNIT 2851

Attorney Docket: 081468/0307814  
Client Reference: P-1750.000-US

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re PATENT APPLICATION of:

Confirmation Number: 3196

**HEERENS, *et al.***

Application No.: **10/762,568**

Group Art Unit: 2851

Filed: January 23, 2004

Examiner: NGUYEN, H. H.

Title: LITHOGRAPHIC ALIGNMENT SYSTEM

July 5, 2005

**AMENDMENT AFTER FINAL UNDER 37 C.F.R. §1.116**

**Mail Stop AF**

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Sir:

In response to the Final Office Action dated April 5, 2005, the date for responding being July 5, 2005, please amend the above-identified application as follows: